


LUMINUM DOORS AND FRAMES

WINDOW WALL


STORE FRONTS


METALCO


1475-67th STREET EMERYVILLE, CALIFORNIA





D-10 NARROW LINE DOORS













OPERATING TRANSOM TYPES


MOTE: TO SELECT OPERATING TRANSOM FOR ANY GIVEN JOB CONDITION REFER TO METALCO RECOMMENDATIONS BELOW FOR MAX SIZES FOR EACH TYPE UNIT SHOWN.





TYPE	MAXIMUM SIZE
D-60	3.0"x3.0" OR TO SQ. FOOT OPENING
D-61	3'0" x 6:0" OR 18 SQ FOOT OPENING
D-62	3' 0" 16'0" OR 18 50 FOOT OPENING
D-63	4.0" x 7.0" OR 30 SQ FOOT OPENING













CORNER AY-12-800


CORNER AY 12805

TYPICAL CORNERS AND MULLIONS




















STOREFRONT SASH



Typical Sash & Trim Combinations





Look to METALCO

for quality, service and economy in all phases of the architectural aluminum field.

Specify Metalco for

ALUMINUM DOORS & FRAMES WINDOW & CURTAIN WALLS

STORE FRONTS
MARQUEES, FACIAS, SPECIALTIES

ENTRANCE DOORS: Available in narrow or wide stile with 3/16" min. wall thickness, mitred & welded construction, interlocking snap on glass stops. Adaptable to complete line of standard or specialty hardware items.

ENTRANCE FRAMES: Factory-fabricated, rigid extruded tubular construction, features flush glazing, concealed fastenings, eye appealing narrow lines, reduced maintenance.

STORE FRONT MATERIALS: Extruded shapes for every need—allowing exact color match after alumiliting.

SALES OFFICES: Los Angeles, Portland, Denver, Chicago, Detroit, Milwaukee, St. Paul, Indianapolis, Phoenix.

Distributors in Principal Cities

Home Office & Factory — 1475 - 67th Street, Emeryville, California

Write for complete full-size Catalogue

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

https://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Carol J. Dyson, AIA